

# SAFETY WALKAROUND CHECKLIST NOISE


1994

Date Prepared: \_\_\_\_\_

By: \_\_\_\_\_

Project Name/No: \_\_\_\_\_

Location: \_\_\_\_\_

- Check the box if the statement is true.
- Fill in the blanks where the  appears.

## NOTES

### HAZARD IDENTIFICATION, REDUCTION, AND WORKER TRAINING

- The company has a written Injury and Illness Prevention Program (IIPP) that meets all Cal/OSHA requirements. It includes identification of noise hazards on the site, regular inspections, accident investigation, and correction of hazardous conditions. [1509]
- Operations or equipment that are likely to produce a noise hazard have been identified. [1509]

Has noise monitoring been done on this site?  Yes  No  
 Results (locations and dB levels):

\_\_\_\_\_

\_\_\_\_\_



- Workers have been informed of the results of noise monitoring performed on themselves, in their work area, and/or for their trade. [3204(e)(2)(A)]
- Exposure has been reduced as much as possible by providing quieter equipment, modifying processes, installing sound barriers, or rotating employees. [5096(b)]
- Workers have been trained about the hazards of noise exposure and the means they can take to prevent hearing loss. [1509]

**EAR PROTECTION**

- If employees may be exposed to noise in excess of the Cal/OSHA **permissible exposure limit (PEL)** of 90 dB, appropriate ear protection is provided and workers are required to use it. [1521 and 5096(b)]
- The ear protection provided (ear plugs, ear muffs, etc.) is effective—it is sufficient to reduce noise exposure to a level below the PEL. [5096(b)]
- If disposable ear plugs are used, a sufficient supply is kept on site, and workers are instructed to change them when they become dirty.
- Ear protection devices fit the worker and are reasonably comfortable. [1514]

*Locations where hearing protectors are available on this site:*

---

---



# **SAFETY WALKAROUND CHECKLIST GENERAL INSPECTION**

<i>Other Hazards Noted</i>	<i>Action</i>

*Near Miss Reports:*

*Other:*